



# Reconfigurable IoT Solution for Train Integrity and Monitoring

Dr.G. Malathi<sup>1</sup>, Mohamed Nizar S<sup>2</sup>, Mugesh B<sup>3</sup>, Muthaiya K<sup>4</sup>

Professor, Dept. of ECE, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India<sup>1</sup>

Student, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India<sup>2</sup>

Student, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India<sup>3</sup>

Student, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India<sup>4</sup>

**Publication History:** Received: 25.02.2026; Revised: 20.03.2026; Accepted: 25.03.2026; Published: 28.03.2026.

**ABSTRACT:** This paper presents a Reconfigurable IoT Solution for Train Integrity and Monitoring, designed to provide real-time assessment of train operational and structural conditions. The system utilizes a distributed wireless sensor network (WSN) deployed across train coaches to measure key parameters including vibration, temperature, humidity, and positional data. Sensor nodes communicate via Bluetooth Low Energy (BLE) mesh networks for short-range intra-train data aggregation, and LoRa (Long Range) communication for transmitting aggregated data to the centralized control center over distances exceeding several kilometers. The network architecture is self-reconfigurable, dynamically rerouting data in the event of node failure or changing network topology, ensuring uninterrupted monitoring. Power management algorithms optimize sensor node energy consumption, extending operational lifetime without compromising data fidelity. Experimental simulations demonstrate that the proposed system achieves low latency, high-reliability monitoring of train integrity while minimizing communication overhead and energy usage. The architecture provides a scalable, robust, and energy-efficient solution suitable for continuous monitoring of rolling stock in demanding railway environments.

**KEYWORDS:** Arduino Uno, Relay, Ultrasonic Sensor, IOT Module – ESP 8266 – 12E (NODE MCU), LCD Display, Soil Moisture sensor, Temperature sensor, Power Supply Unit

## I. INTRODUCTION

Railway transportation plays a crucial role in the global transportation infrastructure. It is widely used for both passenger travel and freight transportation because of its high efficiency, reliability, and ability to transport large volumes over long distances. As railway systems continue to expand and modernize, ensuring operational safety and system reliability has become increasingly important. One of the key challenges faced by railway operators is maintaining the structural and operational integrity of trains during their journey. Train integrity refers to the condition in which all coaches remain properly connected, aligned, and functioning correctly throughout the trip. Any disruption in this integrity, such as coach detachment, mechanical failure, excessive vibration, or overheating of components, can lead to serious accidents and operational failures. Traditionally, railway integrity monitoring has relied on manual inspection and scheduled maintenance procedures. Maintenance staff periodically inspect train components such as couplers, wheels, braking systems, and structural parts. Although this approach has been used for many years, it has several limitations. Manual inspections are time-consuming, expensive, and may fail to detect issues that occur between inspection intervals. Additionally, human errors can lead to missed defects, increasing the risk of accidents. In modern railway systems, there is an increasing demand for automated monitoring solutions that can continuously observe train conditions and detect abnormalities in real time. Automated monitoring systems reduce reliance on manual inspection and enable faster responses to potential issues. With the development of digital technologies and wireless communication systems, it is now possible to deploy intelligent monitoring solutions that operate continuously during train operation.

## II. PROBLEM STATEMENT

The proposed system integrates two key wireless communication technologies: Bluetooth Low Energy (BLE) and LoRa (Long Range communication). Bluetooth Low Energy is designed for short-range wireless communication with



very low power consumption. BLE is widely used in IoT applications such as wearable devices, smart home systems, and industrial monitoring. In the proposed system, BLE is used to establish communication between sensor nodes located within individual train coaches.

BLE mesh networking allows multiple devices to communicate with each other in a decentralized manner. Each node in the mesh network can relay messages to other nodes, enabling communication across the entire train. This approach improves network coverage and reliability.

LoRa technology, on the other hand, is designed for long-range communication with low power consumption. LoRa networks can transmit data over distances ranging from several kilometers to tens of kilometers, depending on environmental conditions.

In the proposed system, LoRa is used to transmit aggregated sensor data from the train to a centralized control center. This allows railway operators to monitor train conditions in real time even when trains are traveling through remote areas.

The combination of BLE and LoRa provides an efficient communication architecture that supports both short-range intra-train communication and long-range data transmission..


### III. EXISTING SYSTEM

Traditional railway monitoring systems primarily rely on manual inspection and scheduled maintenance procedures to ensure the safety and integrity of trains. Railway personnel periodically inspect train coaches, couplings, wheels, and mechanical components to identify any structural or operational issues. These inspections are usually performed at stations or maintenance yards before or after train operations. In many railway systems, basic monitoring methods such as trackside sensors, visual inspection, and onboard diagnostic systems are used to detect certain faults. However, these systems are often limited in their ability to provide continuous real-time monitoring of the train's internal conditions. Most conventional monitoring approaches cannot detect problems that occur while the train is in motion. Another limitation of existing systems is the lack of continuous communication between train coaches and centralized monitoring centers. In many cases, faults are only detected after they have already caused operational issues or safety risks. For example, problems such as excessive vibration, abnormal temperature rise, or mechanical failures may go unnoticed until they lead to equipment damage or accidents. Existing systems also lack the ability to monitor environmental parameters inside train compartments, such as humidity and temperature, which may affect passenger comfort or cargo safety. Additionally, conventional monitoring systems often depend on wired communication networks, which are difficult to maintain in dynamic environments such as moving trains..

### IV. PROPOSED SYSTEM

To overcome the limitations of traditional monitoring systems, this project proposes a Reconfigurable IoT Solution for Train Integrity and Monitoring. The proposed system utilizes Internet of Things (IoT) technology, wireless sensor networks, and advanced communication protocols to continuously monitor the operational and environmental conditions of trains. In the proposed system, multiple sensor nodes are installed across different train coaches. These sensor nodes are equipped with sensors that measure parameters such as vibration, temperature, humidity, and positional data. The sensors continuously collect data that reflects the physical and environmental condition of the train. Each sensor node includes a microcontroller, sensors, wireless communication modules, and a power source. The collected data is processed locally by the microcontroller and transmitted through a wireless communication network.

## V. BLOCK DIAGRAM



## IoT-Based Train Integrity Monitoring System

## VI. WORKING

The system uses Bluetooth Low Energy (BLE) mesh networking for short-range communication between sensor nodes located within the train. BLE mesh networks allow multiple nodes to communicate with each other and relay data across the train formation. This enables efficient communication even in long trains with many coaches. For long-distance communication between the train and the central monitoring station, the system utilizes LoRa (Long Range) communication technology. LoRa enables data transmission over several kilometers with minimal power consumption, making it suitable for railway applications where trains may travel through remote areas. One of the key features of the proposed system is its reconfigurable network architecture. The network can dynamically adjust its communication paths when a sensor node fails or becomes unreachable. This self-healing capability ensures uninterrupted data transmission and improves the reliability of the monitoring system. The collected sensor data is transmitted to a centralized control center, where it is analyzed using monitoring software. Railway operators can view real-time data through dashboards that display the condition of each train coach. If abnormal conditions are detected, the system generates alerts that notify maintenance personnel immediately.

## VII. SOFTWARE INSTALLATION

Software is an essential component in the development of embedded systems and IoT-based applications. It acts as the interface between the hardware components and the user, allowing the system to perform specific tasks automatically. In embedded systems, software is responsible for controlling sensors, processing data, managing communication modules, and executing programmed instructions to achieve the desired functionality. In most embedded and IoT projects, the microcontroller is programmed using specialized software tools that allow developers to write, compile, and upload programs to the hardware device. The efficiency of the software determines how effectively the system can collect data from sensors, process it, and control output devices. For many embedded projects, Arduino IDE is used as the development environment, while Embedded C is used as the programming language. These tools provide a simple and flexible platform for designing and implementing embedded applications. The software continuously monitors input signals from sensors and performs operations based on predefined conditions. It also enables communication between the system and external devices such as displays, IoT platforms, or mobile applications. Proper software design ensures that the system operates reliably, responds quickly to changing conditions, and performs its functions efficiently. Therefore, selecting the right programming tools and developing optimized code are important aspects of embedded system development.



## VIII. RESULT AND ANALYSIS

The proposed Reconfigurable IoT Solution for Train Integrity and Monitoring was developed to provide real-time monitoring of train conditions using sensor nodes and long-range wireless communication technology. The system utilizes various sensors to measure parameters such as temperature, humidity, vibration, and positional information from different train coaches. The collected data is processed using a microcontroller and transmitted through LoRa communication modules to the IoT monitoring platform. During system implementation and testing, the sensors successfully captured environmental and operational data from the train monitoring setup. The microcontroller collected the sensor data and transmitted it through the LoRa module. The LoRa transmitter sent the data wirelessly over a long distance to the LoRa receiver located at the monitoring station. The received data was then uploaded to the IoT platform where it could be visualized and analyzed in real time. The experimental results show that LoRa communication provides stable and reliable long-range data transmission with minimal power consumption. The system was able to transmit sensor data over several kilometers without significant signal loss.

## IX. CONCLUSION

The Reconfigurable IoT Solution for Train Integrity and Monitoring was developed to improve railway safety and operational efficiency through continuous monitoring of train conditions. In traditional railway systems, monitoring of train components and environmental conditions mainly depends on manual inspections and periodic maintenance. These methods may fail to detect faults that occur during train operation. Therefore, an automated monitoring system is necessary to provide real-time information about the operational status of trains.

## REFERENCES

1. A. Kumar, P. Singh, and R. Sharma, "IoT-Based Smart Water Monitoring System Using LoRa Technology," *International Journal of Internet of Things and Applications*, vol. 12, no. 1, pp. 45–52, 2024.
2. M. Gupta and S. Verma, "Design and Implementation of LoRa Enabled Smart Environmental Monitoring System," *IEEE Access*, vol. 12, pp. 102345–102356, 2024.
3. T. Nguyen, H. Tran, and L. Pham, "Low Power Wide Area Network Based IoT Monitoring Using LoRa for Smart Cities," *Sensors*, vol. 24, no. 5, pp. 1–16, 2024.
4. C.Nagarajan and M.Madheswaran - 'Stability Analysis of Series Parallel Resonant Converter with Fuzzy Logic Controller Using State Space Techniques'- Taylor & Francis, *Electric Power Components and Systems*, Vol.39 (8), pp.780-793, May 2011. DOI: 10.1080/15325008.2010.541746
5. C.Nagarajan and M.Madheswaran - 'Experimental verification and stability state space analysis of CLL-T Series Parallel Resonant Converter' - *Journal of Electrical Engineering*, Vol.63 (6), pp.365-372, Dec.2012. DOI: 10.2478/v10187-012-0054-2
6. C.Nagarajan and M.Madheswaran - 'Performance Analysis of LCL-T Resonant Converter with Fuzzy/PID Using State Space Analysis'- Springer, *Electrical Engineering*, Vol.93 (3), pp.167-178, September 2011. DOI 10.1007/s00202-011-0203-9
7. S.Tamilselvi, R.Prakash, C.Nagarajan, "Solar System Integrated Smart Grid Utilizing Hybrid Coot-Genetic Algorithm Optimized ANN Controller" *Iranian Journal Of Science And Technology-Transactions Of Electrical Engineering*, DOI10.1007/s40998-025-00917-z,2025
8. S.Tamilselvi, R.Prakash, C.Nagarajan, "Adaptive sliding mode control of multilevel grid-connected inverters using reinforcement learning for enhanced LVRT performance" *Electric Power Systems Research* 253 (2026) 112428, doi.org/10.1016/j.epsr.2025.112428
9. S.Thirunavukkarasu, C. Nagarajan, 2024, "Performance Investigation on OCF and SCF study in BLDC machine using FTANN Controller," *Journal of Electrical Engineering And Technology*, Volume 20, pages 2675–2688, (2025), doi.org/10.1007/s42835-024-02126-w
10. C. Nagarajan, M.Madheswaran and D.Ramasubramanian- 'Development of DSP based Robust Control Method for General Resonant Converter Topologies using Transfer Function Model'- *Acta Electrotechnica et Informatica Journal* , Vol.13 (2), pp.18-31, April-June.2013, DOI: 10.2478/aei-2013-0025.
11. C.Nagarajan and M.Madheswaran - 'DSP Based Fuzzy Controller for Series Parallel Resonant converter'- Springer, *Frontiers of Electrical and Electronic Engineering*, Vol. 7(4), pp. 438-446, Dec.12. DOI 10.1007/s11460-012-0212-0.
12. C.Nagarajan and M.Madheswaran - 'Experimental Study and steady state stability analysis of CLL-T Series Parallel Resonant Converter with Fuzzy controller using State Space Analysis'- *Iranian Journal of Electrical & Electronic Engineering*, Vol.8 (3), pp.259-267, September 2012.



13. C.Nagarajan and M.Madheswaran, "Analysis and Simulation of LCL Series Resonant Full Bridge Converter Using PWM Technique with Load Independent Operation" has been presented in ICTES'08, a IEEE / IET International Conference organized by M.G.R.University, Chennai.Vol.no.1, pp.190-195, Dec.2007
14. Suganthi Mullainathan, Ramesh Natarajan, "An SPSS and CNN modelling based quality assessment using ceramic materials and membrane filtration techniques", *Revista Materia (Rio J.)* Vol. 30, 2025, DOI: <https://doi.org/10.1590/1517-7076-RMAT-2024-0721>
15. M Suganthi, N Ramesh, "Treatment of water using natural zeolite as membrane filter", *Journal of Environmental Protection and Ecology*, Volume 23, Issue 2, pp: 520-530,2022
16. J. Patel and K. Mehta, "Real-Time Water Flow Monitoring Using IoT and LoRa Communication," *Journal of Smart Infrastructure and Systems*, vol. 9, no. 2, pp. 88–96, 2025.
17. R. Das, A. Banerjee, and P. Ghosh, "Efficient IoT Data Transmission Using LoRa for Industrial Monitoring," *IEEE Internet of Things Journal*, vol. 13, no. 3, pp. 2210–2218, 2025.
18. S. Al-Hassan and M. Khalid, "LoRa-Based Smart Agriculture Monitoring System Using IoT Sensors," *Journal of Agricultural Informatics*, vol. 16, no. 1, pp. 55–64, 2025.
19. V. R. Reddy and K. Srinivasan, "Long Range IoT Communication Using LoRa Technology for Remote Monitoring Applications," *International Journal of Advanced Computer Science and Applications*, vol. 16, no. 4, pp. 120–128, 2025.
20. L. Chen, Y. Zhang, and H. Li, "Energy Efficient IoT Monitoring System Using LoRaWAN Architecture," *IEEE Systems Journal*, vol. 20, no. 1, pp. 450–458, 2026.
21. Kiran, A., Rubini, P., & Kumar, S. S. (2025). Comprehensive review of privacy, utility and fairness offered by synthetic data. *IEEE Access*.
22. Gopinathan, V. R. (2024). Real-Time Financial Risk Intelligence Using Secure-by-Design AI in SAP-Enabled Cloud Digital Banking. *International Journal of Computer Technology and Electronics Communication*, 7(6), 9837-9845.
23. Udayakumar, R., Elankavi, R., Vimal, R., & Sugumar, R. (2023). Improved Particle Swarm Optimization with Deep Learning-Based Municipal Solid Waste Management in Smart Cities. *Environmental & Social Management Journal*, 17(4).
24. Anand, L. (2023). An Intelligent AI and ML-Driven Cloud Security Framework for Financial Workflows and Wastewater Analytics. *International Journal of Humanities and Information Technology*, 5(02), 87-94.
25. Soundappan, S. J. (2020). Big Data Analytics in Healthcare: Applications for Pandemic Forecasting. *International Journal of Advanced Research in Computer Science & Technology*, 3(1), 2248-2253.
26. Rajasekar, M. (2024). Real-Time Predictive DevOps Intelligence for Risk-Aware Digital Business Processes in Cloud and SAP Ecosystems. *International Journal of Advanced Research in Computer Science & Technology*, 7(4), 10713-10718.
27. Poornima, G., & Anand, L. (2024, May). Novel AI Multimodal Approach for Combating Against Pulmonary Carcinoma. In 2024 5th International Conference for Emerging Technology (INCET) (pp. 1-6). IEEE.
28. Prabha, P. S., & Rengarajan, A. (2025). Adaptive Cloud Resource Allocation Using Attention-Driven Deep Reinforcement Learning. *Engineering, Technology & Applied Science Research*, 15(6), 29334-29340.
29. Jagadeesh, S., & Sugumar, R. (2017). A Comparative study on Artificial Bee Colony with modified ABC algorithm. *European Journal of Applied Sciences*, 9(5), 243-248.
30. Varma, K. K., & Anand, L. (2025, March). Deep Learning Driven Proactive Auto Scaler for High-Quality Cloud Services. In International Conference on Computing and Communication Systems for Industrial Applications (pp. 329-338). Singapore: Springer Nature Singapore.
31. Kumar, S. A., & Anand, L. (2025). A Novel EEG-Based Deep Learning Framework for Enhancing Communication in Locked-In Syndrome Using P300 Speller and Attention Mechanisms. *KSII TRANSACTIONS ON INTERNET AND INFORMATION SYSTEMS*, 19(11), 3841-3855.
32. Poornima, G., & Anand, L. (2025). Medical image fusion model using CT and MRI images based on dual scale weighted fusion based residual attention network with encoder-decoder architecture. *Biomedical Signal Processing and Control*, 108, 107932.
33. Archana, R., & Anand, L. (2025). Residual u-net with Self-Attention based deep convolutional adaptive capsule network for liver cancer segmentation and classification. *Biomedical Signal Processing and Control*, 105, 107665.
34. Kumar, S. A., & Anand, L. (2025). A Novel EEG-Based Deep Learning Framework for Enhancing Communication in Locked-In Syndrome Using P300 Speller and Attention Mechanisms. *KSII Transactions on Internet and Information Systems*, 19(11), 3841-3855.
34. Rengarajan, A. (2025). Cloud-Based AI-Driven Threat Detection Framework for Smart Grid Cybersecurity. *International Journal of Future Innovative Science and Technology*, 8(6), 16065.



35. Murugeswari, B., Sudharson, K., Panimalar, S. P., Shanmugapriya, M., & Abinaya, M. (2020). SAFE–Secure Authentication in Federated Environment using CEG Key code.
36. Raj A. A., & Sugumar, R. (2023). Early Detection of COVID-19 with Impact on Cardiovascular Complications using CNN Utilising Pre-Processed Chest X-Ray Images. *2023 International Conference on Applied Intelligence and Sustainable Computing (ICAISC), IEEE*.
37. Jagadeesh, S., & Sugumar, R. (2017). A Comparative study on Artificial Bee Colony with modified ABC algorithm. *European Journal of Applied Sciences*, 9(5), 243-248.
38. Selvi, G. V., Anbarasan, A. B., Murthy, B. A., & Prabavathy, S. (2023). An Application Oriented Integrated Unequal Clustering Algorithm for Wireless Sensor Network. In *Underwater Vehicle Control and Communication Systems Based on Machine Learning Techniques* (pp. 140-154). CRC Press.
39. Sruthi, R. S., Ananya, S., & Murugeswari, B. (2010). Web Based Virtual Control System Laboratory and On-Line Temperature Control of Electrophoresis Equipment using LabVIEW. *International Journal of Computer Applications*, 975, 8887.
40. Vimal Raja, G. (2021). Mining Customer Sentiments from Financial Feedback and Reviews using Data Mining Algorithms. *International Journal of Innovative Research in Computer and Communication Engineering*, 9(12), 14705-14710.
41. MATHEW, A. R. (2025). Neurosecurity and Brain-Computer Interfaces.
42. Soundappan, S. J. (2024). AI-Driven Customer Intelligence in Enterprise Lakehouse Systems Sentiment Mining Governance-Aware Analytics and Real-Time Data Synchronization. *International Journal of Advanced Engineering Science and Information Technology (IJAESIT)*, 7(5), 14905.
43. Mathew, A. (2025). Human–AI Collaboration in Security Operations: Measuring Alert Trust, Automation Bias, and Analyst Upskilling in AI-Augmented SOC Environments. *International Journal of Computer Technology and Electronics Communication*, 8(5), 11375-11380.
44. Soundappan, S. J. (2022). AI-Based Fault Detection and Isolation for Reliability in Modern Power Systems. *International Journal of Research Publications in Engineering, Technology and Management (IJRPETM)*, 5(4), 7106-7110.
45. Poornima, G., & Anand, L. (2024, April). Effective Machine Learning Methods for the Detection of Pulmonary Carcinoma. In *2024 Ninth International Conference on Science Technology Engineering and Mathematics (ICONSTEM)* (pp. 1-7). IEEE.
- Garg, V. K., Soundappan, S. J., & Kaur, E. M. (2020). Enhancement in intrusion detection system for WLAN using genetic algorithms. *South Asian Research Journal of Engineering and Technology*, 2(6), 62–64.
46. Rengarajan, A., Jayakumar, C., & Sugumar, R. (2012). Optimization Of Recent Attacks Using Internet Protocol. *National Journal of System and Information Technology*, 5(1), 8.
47. Mathew, A. (2024). AI TRiSM: Trust, Risk, and Security Management in Cybersecurity. *Cybersecurity*, 4(3), 84-90.
48. Mathew, A. (2025). Deep seek vs. ChatGPT: A deep dive into AI Language mastery. *Int J Multidisciplinary Res*, 7(1), 1-5.